MATERIAL SAFETY DATA SHEET May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910.1200. Standard must

U.S. Department of Labor OCCUPATIONAL SAFETY AND **HEALTH ADMINISTRATION**

SIMILAR TO FORM OSHA 174

be consulted for specific requirements. IDENTITY (As Used on Label and List) ACUTE HEALTH **FIRE** REACTIVITY A-1 HARDWATER STAIN REMOVER **NFPA** 1 0 0 0 = LEAST 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME Section 1 MANUFACTURER'S NAME **EMERGENCY TELEPHONE NUMBER** TITAN LABORATORIES SEE BELOW OR 800-255-3924 EMERG'Y ONLY TELEPHONE NUMBER FOR INFORMATION **ADDRESS** (650) 965-9900 1071 WRIGHT AVE. **MOUNTAIN VIEW, CA 94043** DATE PREPARED JULY 11, 2008 v1.02 Section II --- Hazardous Ingredients/Identify Information HAZARDOUS COMPONENTS (Specific Chemical Identity; Common Name(s) OSHÀ PEL **ACGIH TLV** OTHER LIMITS % (OPTIONAL) AMORPHOUS SILICA (Not in a respirable state) CAS # 7631-86-9 **AQUEOUS AMMONIA** 1% 50ppm 25ppm TWA CAS # 1336-21-6 PETROLEUM DISTILLATES 300ppm TWA 5 to 20% CAS 64742-47-8 Section III --- Physical/Chemical Characteristics 212°F **BOILING POINT** SPECIFIC GRAVITY (H₂O = 1) 1.2 VAPOR PRESSURE (MM HG) N/A **MELTING POINT** N/A VAPOR DENSITY (AIR = 1) N/A **EVAPORATION RATE** N/A (N-Butyl Acetate = 1) **COMPLETE** SOLUBILITY IN WATER CREAMY WHITE LIQUID. MASKED AMMONIA ODOR APPEARANCE AND ODOR Section IV --- Fire and Explosion Hazard Data NONE, PMCC FLASH POINT (METHOD USED) FLAMMABLE LIMITS LEL **UEL** WILL NOT BURN **EXTINGUISHING MEDIA** SURROUNDING FIRE MAY RESULT IN TOXIC FUMES. WEAR SPECIAL FIRE FIGHTING PROCEDURES SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE. UNUSUAL FIRE AND EXPLOSION HAZARDS NONE

Section V --- Reactivity Data

STABILITY: STABLE

ACIDS INCOMPATIBILITY Materials to Avoid)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS **WILL NOT BURN**

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

Section VI --- Health Hazard Data

ROUTE(S) OF ENTRY:` INHALATION? SKIN? INGESTION? YES YES **YES**

HEALTH HAZARDS (Acute and Chronic) PROLONGED INHALATION OF VAPORS: NAUSEA, DROWSINESS. LIGHTHEADNESS (NARCOSIS), DO NOT BREATH THE DRIED POWDER. SKIN: LOCAL IRRITATION,

DRYNESS, CHAPPING OR DERMATITIS • INGESTION; DIARRHEA, NAUSEA, CRAMPS. • EYES: IRRITATION

IARC MONOGRAPHS? OSHA REGULATED? CARCINOGENICITY: NTP? NO

NONE KNOWN NONE

SEE "HEALTH HAZARDS" SIGNS AND SYMPTOMS OF EXPOSURE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

POSSIBLY PRE-EXISTING SKIN OR RESPIRATORY DISORDERS

EMERGENCY AND FIRST AID PROCEDURES

<u>INHALATION</u>: REMOVE TO FRESH AIR • <u>SKIN</u>: FLUSH COMPLETELY WITH WATER. • <u>INGESTION</u>: RINSE MOUTH. DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION TO LUNGS. GET MEDICAL HELP. • EYES: FLOOD WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. REMOVE CONTACT LENSES IF WORN. GET MEDICAL HELP.

Section VII --- Precautions for Safe Handling and Use

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED ABSORB WITH SAND, DIATOMACEOUS EARTH, RICE HULL ASH, OR OTHER ABSORBENT MATERIAL. OR DILUTE WITH WATER TO ACCEPTABLE WASTE WATER RATIO, OR CONTAIN WITH TEMPORARY DAM AND COLLECT SPILL FOR REUSE. MOP UP EXCESS, LET DRY, CLEAN AREA WITH BROOM.

WASTE DISPOSAL METHOD **SMALL SPILL**: **ABSORB AS ABOVE OR RINSE WITH WATER. LARGE SPILL**: **OBSERVE WASTE WATER STANDARDS, DISPOSE OF WASTE PROPERLY.**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING USE PLASTIC CONTAINERS.

OTHER PRECAUTIONS

KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT TRANSFER INTO UNMARKED CONTAINERS. Section VIII --- Control Measures

RESPIRATORY PROTECTION (Specify Type) USUALLY NOT NEEDED

ADEQUATE VENTILATION RECOMMENDED. LOCAL EXHAUST NOT VENTILATION LOCAL EXHAUST NEEDED.

PROTECTIVE GLOVES **RECOMMENDED** EYE PROTECTION YES, CHEMICALLY RESISTANT GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT IMPERVIOUS CLOTHING OR BOOTS

WORK/HYGIENIC PRACTICES

WASH THOROUGHLY AFTER HANDLING, UNDER RINGS AND WATCHBANDS ALSO.