

# OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

## Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

Other means of identification : Not applicable.

Recommended use : Cleaning product

Product dilution information : 3.125 % - 6.25 %

Company : Ecolab New Zealand

2 Daniel Place

Te Rapa, Hamilton New Zealand

+64 7 958 2319

Emergency telephone

number

: 0800 243 622 (0800 CHEMCALL)

Issuing date : 24.07.2017

#### **Section: 2. HAZARDS IDENTIFICATION**

#### **HSNO Hazard classification**

#### **Product AS SOLD**

Corrosive to Metals : 8.1 A
Acute toxicity (Oral) : 6.1 E
Skin irritation : 6.3 A
Serious eye damage : 8.3 A
Skin sensitization : 6.5 B
Specific Target Organ : 6.9 B

Systemic Toxicity (Single Exposure or Repeated

Exposure)

Aquatic toxicity (Acute or

: 9.1 C

Chronic)

## **Product AT USE DILUTION**

Skin irritation : 6.3 B Eye irritation : 6.4 A

#### **GHS Label element**

## **Product AS SOLD**

Hazard pictograms







Signal Word : Danger

Hazard Statements : May be corrosive to metals.

May be harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause damage to organs.

Harmful to aquatic life with long lasting effects.

903766-01 1 / 11

Precautionary Statements : Prevention:

Keep only in original container. Do not breathe

dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the

workplace. Avoid release to the environment. Wear protective gloves/

eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/ physician. Immediately call a POISON CENTER or doctor/ physician. Specific treatment (see supplemental first aid instructions on this label). If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Absorb spillage to prevent material damage.

Storage.
Store locked up. Store in corrosive resistant container with a resistant

inner liner. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

Signal Word : Warning

Hazard Statements : Causes mild skin irritation.

Causes eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists:

Get medical advice/ attention.

**Product AS SOLD** 

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

**Product AT USE DILUTION** 

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product AS SOLD** 

Pure substance/mixture : Mixture

**Chemical Name** CAS-No. Concentration: (%) 10 - 30 Phosphoric acid 7664-38-2 2-(2-butoxyethoxy)ethanol 112-34-5 5 - 10 poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-34398-01-1 5 - 10hydroxy-1 - 5 citric acid 77-92-9 N,N-dimethyldodecylamine N-oxide 1643-20-5 1 - 5

903766-01 2 / 11

## OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

**Product AT USE DILUTION** 

Chemical Name CAS-No. Concentration: (%)

Phosphoric acid 7664-38-2 1 - 5

## **Section: 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water.

If inhaled : Get medical attention if symptoms occur.

#### **Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

903766-01 3 / 11

nitrogen oxides (NOx) Oxides of phosphorus

Special protective equipment

for firefighters

: Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Hazchem Code : 2R

## **Section: 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Product AS SOLD Emergency Management Trigger Levels

The following triger level applies:

Emergency Plan : 1,000 L

Signage : 1,000 L

#### Section: 7. HANDLING AND STORAGE

903766-01 4 / 11

**Product AS SOLD** 

Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products — will

cause chlorine gas.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : -10 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use

only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or

other chlorinated products - will cause chlorine gas.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Product AS SOLD Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	WES-TWA	1 mg/m3	NZ OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Laminate film

Nitrile

Unsupported neoprene

**PVC** 

Natural rubber

Neoprene/natural rubber blend

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

903766-01 5 / 11

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type. Laminate film

Nitrile

Unsupported neoprene

**PVC** 

Natural rubber

Neoprene/natural rubber blend

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Colour : red light pink

Odour : citrus citrus

pH : 0.5 - 1.5, (100 %) 1.0 - 2.5

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available

Relative vapour density : no data available

903766-01 6 / 11

## OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

Relative density : 1.112 - 1.132

Water solubility : soluble

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : no data available Viscosity, kinematic : no data available Explosive properties : no data available Oxidizing properties : no data available Molecular weight : no data available VOC : no data available

#### Section: 10. STABILITY AND REACTIVITY

**Product AS SOLD** 

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials Chlorine-based bleaching agents

> Bases Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes skin irritation. May cause allergic skin reaction.

Ingestion : May be harmful if swallowed. Causes digestive tract burns.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : May cause damage to organs.

**Product AT USE DILUTION** 

Eyes : Causes eye irritation.

Skin : Causes mild skin irritation.

903766-01 7/11

## OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

## Experience with human exposure

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Irritation, Allergic reactions

Ingestion : Corrosion, Abdominal pain

Inhalation : No symptoms known or expected.

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Irritation

Skin contact : slight irritation

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

## **Toxicity**

#### **Product AS SOLD**

**Product** 

Acute oral toxicity : Acute toxicity estimate : 2,423 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 40 mg/l

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

## Section: 12. ECOLOGICAL INFORMATION

## Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

903766-01 8 / 11

## OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

**Product** 

Toxicity to fish : no data available Toxicity to daphnia and other : no data available

aquatic invertebrates

: no data available

Toxicity to algae Components

Toxicity to fish : 2-(2-butoxyethoxy)ethanol

96 h LC50 Fish: 1,300 mg/l

poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-

96 h LC50 Fish: 3.2 mg/l

citric acid

96 h LC50 Fish: > 100 mg/l

Components

Toxicity to daphnia and other : Phosphoric acid

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): > 100 mg/l

N,N-dimethyldodecylamine N-oxide 48 h LC50 Daphnia: 1.1 mg/l

Components

Toxicity to algae : Phosphoric acid

72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

## Persistence and degradability

#### **Product AS SOLD**

Readily biodegradable.

## Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

**Product AS SOLD** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water courses or

the soil.

Disposal considerations Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

903766-01 9/11

**Product AT USE DILUTION** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

#### **Section: 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (NZ\_DG)

UN number : 1805

Description of the goods : PHOSPHORIC ACID, SOLUTION

Class : 8
Packing group : III
Hazchem Code : 2R
Environmentally hazardous : Yes

## Air transport (IATA)

Contact Regulatory for air freight eligibility

## Sea transport (IMDG/IMO)

UN number : 1805

Description of the goods : PHOSPHORIC ACID SOLUTION

Class : 8
Packing group : III
Marine pollutant : No

Special precautions for user : None

## Section: 15. REGULATORY INFORMATION

**Product AS SOLD** 

HSNO Approval Number : HSR002526

HSNO Group Standard : Cleaning Products (Corrosive) Group Standard 2006.

## The components of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

not determined

## Canadian Domestic Substances List (DSL):

This product contains one or several components that are not on the Canadian DSL nor NDSL.

903766-01 10 / 11

## OASIS COMPAC 61 HEAVY DUTY ACID BATHROOM CLEANER

## Australia. Industrial Chemical (Notification and Assessment) Act :

not determined

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

On the inventory, or in compliance with the inventory

## Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

#### Korea. Korean Existing Chemicals Inventory (KECI):

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

#### **China Inventory of Existing Chemical Substances:**

not determined

#### **Taiwan Chemical Substance Inventory:**

not determined

## **Section: 16. OTHER INFORMATION**

Issuing date : 24.07.2017

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

903766-01 11 / 11