

TAXAT

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TAXAT

Other means of identification : Not applicable.

Recommended use : Laundry detergent

Product dilution information : 0.25 % - 0.53 %

USE 10-21 G/KG OF LINEN

Company : Ecolab New Zealand

2 Daniel Place

Te Rapa, Hamilton New Zealand

+64 7 958 2319

Emergency telephone

number

: 0800 243 622 (0800 CHEMCALL)

Issuing date : 24.07.2018

Section: 2. HAZARDS IDENTIFICATION

HSNO Hazard classification

Product AS SOLD

Corrosive to Metals : 8.1 A
Acute toxicity (Oral) : 6.1 D
Acute toxicity (Inhalation) : 6.1 D
Skin corrosion : 8.2 C
Serious eye damage : 8.3 A
Ecotoxic to terrestrial : 9.3 C

vertebrates

Aquatic toxicity (Acute or : 9.1 D

Chronic)

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS Label element

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Harmful if inhaled. Toxic to aquatic life.

Harmful to terrestrial vertebrates.

Precautionary Statements : **Prevention**:

Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after handling. Do not eat, drink or smoke when using

998062 1 / 10

TAXAT

this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Specific treatment (see supplemental first aid instructions on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements

: Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical NameCAS-No.Concentration: (%)Sodium Carbonate497-19-830 - 60disodium metasilicate6834-92-010 - 30sodium dodecylbenzene sulfonate25155-30-01 - 5alcohols, c12-15, ethoxylated68131-39-51 - 5

Product AT USE DILUTION

No hazardous ingredients

Section: 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

998062 2 / 10

TAXAT

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulphur oxides

Oxides of phosphorus

for firefighters

Special protective equipment: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is

conducted by trained personnel only. Refer to protective measures

TAXAT

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use

only with adequate ventilation. Wash hands thoroughly after handling.

Do not get in eyes, on skin, or on clothing.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : 0 °C to 30 °C

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type. Neoprene gloves

998062 4 / 10

TAXAT

Nitrile

Natural rubber

PVC

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

: Good general ventilation should be sufficient to control worker Engineering measures

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

liquid

colourless

odourless

9.0 - 11.0

Appearance : powder

Colour : white

Odour : odourless

рΗ : 11.0 - 12.0, (1 %)

Flash point : Not applicable. Odour Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and

boiling range

: no data available

Evaporation rate : no data available Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available Vapour pressure : no data available Relative vapour density : no data available

Relative density : 0.6 - 0.9

TAXAT

Water solubility : no data available Solubility in other solvents : no data available Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : no data available Thermal decomposition : no data available Viscosity, kinematic : no data available Explosive properties : no data available Oxidizing properties : no data available Molecular weight : no data available VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials Acids

Metals

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : Harmful if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Health injuries are not known or expected under normal use. Eyes

Skin Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

TAXAT

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : Acute toxicity estimate : 1,216 mg/kg Acute inhalation toxicity

: 4 h Acute toxicity estimate : 3.02 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : no data available Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available Reproductive effects : no data available : no data available Germ cell mutagenicity Teratogenicity : no data available : no data available STOT - single exposure STOT - repeated exposure : no data available

Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Aspiration toxicity

Environmental Effects : Toxic to aquatic life. Harmful to terrestrial vertebrates.

: no data available

TAXAT

Product

Toxicity to fish : no data available Toxicity to daphnia and other : no data available

aquatic invertebrates

: no data available Toxicity to algae

Components

Toxicity to fish : Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

disodium metasilicate 96 h LC50 Fish: 210 mg/l

sodium dodecylbenzene sulfonate

96 h LC50: 3.2 mg/l

alcohols, c12-15, ethoxylated

96 h LC50 Pimephales promelas (fathead minnow): 1.4 mg/l

Components

Toxicity to daphnia and other : Sodium Carbonate

aquatic invertebrates

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

alcohols, c12-15, ethoxylated

48 h EC50 Daphnia magna (Water flea): 0.14 mg/l

Components

Toxicity to algae : alcohols, c12-15, ethoxylated

72 h EC50 Pseudokirchneriella subcapitata (green algae): 0.75 mg/l

Persistence and degradability

Product AS SOLD

Biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

: Where possible recycling is preferred to disposal or incineration. If Disposal methods recycling is not practicable, dispose of in compliance with local

regulations. Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water courses or

the soil.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

TAXAT

use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (NZ_DG)

UN number : 3262

Description of the goods : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(sodium metasilicate, sodium carbonate)

Class : 8
Packing group : II
Hazchem Code : 2X
Environmentally hazardous : Yes

Sea transport (IMDG/IMO)

UN number : 3262

Description of the goods : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(sodium metasilicate, sodium carbonate)

Class : 8
Packing group : II
Marine pollutant : No

Special precautions for user : None

Section: 15. REGULATORY INFORMATION

Product AS SOLD

HSNO Approval Number : HSR002526

HSNO Group Standard : Cleaning Products (Corrosive) Group Standard 2017.

The components of this product are reported in the following inventories:

United States TSCA Inventory:

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act:

not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

On the inventory, or in compliance with the inventory

998062 9 / 10

TAXAT

Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

China Inventory of Existing Chemical Substances:

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory:

not determined

Section: 16. OTHER INFORMATION

Issuing date : 24.07.2018

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

998062 10 / 10