

**TURBO NEUTRALISE****Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TURBO NEUTRALISE

Other means of identification : Not applicable.

Recommended use : Laundry product

Product dilution information : 0.01 % - 0.12 %

Company : Ecolab New Zealand  
2 Daniel Place  
Te Rapa, Hamilton New Zealand  
+64 7 958 2319

Emergency telephone number : 0800 243 622 (0800 CHEMCALL)

Issuing date : 16.05.2016

**Section: 2. HAZARDS IDENTIFICATION****HSNO Hazard classification****Product AS SOLD**

Corrosive to Metals : 8.1 A

Skin irritation : 6.3 B

Serious eye damage : 8.3 A

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**GHS Label element****Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes mild skin irritation.  
Causes serious eye damage.  
May be corrosive to metals.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep only in original container.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Absorb spillage to prevent material damage.  
**Storage:**

# SAFETY DATA SHEET

## TURBO NEUTRALISE

Store locked up. Store in a corrosion resistant container with a resistant inner liner.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

### Product AT USE DILUTION

Precautionary Statements

: **Prevention:**

Wash hands thoroughly after handling.

**Response:**

Get medical advice/ attention if you feel unwell.

**Storage:**

Store in accordance with local regulations.

### Product AS SOLD

Other hazards

: Do not mix with bleach or other chlorinated products – will cause chlorine gas.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Product AS SOLD

Pure substance/mixture

: Mixture

Chemical Name	CAS-No.	Concentration: (%)
citric acid	77-92-9	30 - 60

### Product AT USE DILUTION

No hazardous ingredients

## Section: 4. FIRST AID MEASURES

### Product AS SOLD

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact

: Rinse with plenty of water.

If swallowed

: Rinse mouth. Get medical attention if symptoms occur.

If inhaled

: Get medical attention if symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician

: Treat symptomatically.

Most important symptoms and effects, both acute and delayed

: See Section 11 for more detailed information on health effects and symptoms.

### Product AT USE DILUTION

In case of eye contact

: Rinse with plenty of water.

In case of skin contact

: Rinse with plenty of water.

If swallowed

: Rinse mouth. Get medical attention if symptoms occur.

# SAFETY DATA SHEET

## TURBO NEUTRALISE

If inhaled : Get medical attention if symptoms occur.

### Section: 5. FIREFIGHTING MEASURES

#### Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
- Hazchem Code : 2X

### Section: 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# SAFETY DATA SHEET

## TURBO NEUTRALISE

### Product AS SOLD

#### Emergency Management Trigger Levels

The following trigger level applies:

Emergency Plan : 10,000 L

Signage : 1,000 L

### Section: 7. HANDLING AND STORAGE

#### Product AS SOLD

Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : -30 °C to 50 °C

#### Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Nitrile  
Unsupported neoprene  
PVC  
Natural rubber  
Neoprene/natural rubber blend  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

# SAFETY DATA SHEET

## TURBO NEUTRALISE

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Product AT USE DILUTION

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection : No special protective equipment required.
- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: clear, light yellow	colourless
Odour	: sweet	odourless
pH	: 1.1 - 1.5, 100 %	4.0 - 5.5
Flash point	: Not applicable., Does not sustain combustion.	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: no data available	
Flammability (solid, gas)	: no data available	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Relative density	: 1.23 - 1.26	
Water solubility	: soluble	
Solubility in other solvents	: no data available	
Partition coefficient: n-octanol/water	: no data available	
Auto-ignition temperature	: no data available	
Thermal decomposition	: no data available	

# SAFETY DATA SHEET

## TURBO NEUTRALISE

Viscosity, kinematic : no data available  
Explosive properties : no data available  
Oxidizing properties : no data available  
Molecular weight : no data available  
VOC : no data available

### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Do not mix with bleach or other chlorinated products – will cause chlorine gas.  
Conditions to avoid : None known.  
Incompatible materials : Bases  
Hazardous decomposition products : Decomposition products may include the following materials:  
Carbon oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

Eyes : Causes serious eye damage.  
Skin : Causes mild skin irritation.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

#### Product AS SOLD

Eye contact : Redness, Pain, Corrosion, Irritation  
Skin contact : slight irritation

## SAFETY DATA SHEET

### TURBO NEUTRALISE

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

##### Product

Acute oral toxicity : no data available

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 40 mg/l

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

##### Components

Acute oral toxicity : citric acid  
LD50 rat: 11,700 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

##### Product AS SOLD

##### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

##### Product

Toxicity to fish : 96 h LC50: > 120 mg/l

Toxicity to daphnia and other aquatic invertebrates : 48 h EC50: > 120 mg/l

Toxicity to algae : no data available

##### Persistence and degradability

## SAFETY DATA SHEET

### TURBO NEUTRALISE

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.  
Dispose of contents/ container to an approved waste disposal plant.

#### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (NZ\_DG)

UN number : 3265  
Description of the goods : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(Citric acid)  
Class : 8  
Packing group : III  
Hazchem Code : 2X  
Environmentally hazardous : No

#### Sea transport (IMDG/IMO)

UN number : 3265  
Description of the goods : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(Citric acid)  
Class : 8  
Packing group : III  
Marine pollutant : No

Special precautions for user : None

### Section: 15. REGULATORY INFORMATION



# SAFETY DATA SHEET

## TURBO NEUTRALISE

### Product AS SOLD

HSNO Approval Number : HSR002530

HSNO Group Standard : Cleaning Products (Subsidiary Hazard) Group Standard 2006.

**The components of this product are reported in the following inventories:**

#### United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

#### Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

#### Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

#### China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

### Section: 16. OTHER INFORMATION

Issuing date : 16.05.2016  
version : 1.1  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.