## Section 1 – IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

Product Identifier	CASKADE ULTRASHIELD 9000 AEROSOL	
Product Code	C5009000	
Recommended use	Air care products, Odour agents.	
Manufacturer/Supplier	Integra Industries Limited	
Address	149 King Edward Street	
	South Dunedin, NZ	
Telephone	0800 667 843	
Email	info@integraindustries.co.nz	
Emergency Phone No	National Poisons Centre 0800 764 766 (0800 POISON) 24 hours	
Section 2 – HAZARDS IDENTIFICATION		

#### **Classification of the product**

Considered a hazardous substance according to the Hazardous Substance (Minimum Degrees of Hazard) Regulations NZ.

Classified as a dangerous goods for transport purposes.

#### **HSNO Classifications:**

HSNO Classifications:		GHS Classifications:	
2.1.2A	Extremely flammable aerosol	Flammable aerosol	Category 1
6.3B	Mildly irritating to the skin	Skin Irritation	Category 3
6.4A	Irritating to the eye	Eye irritation	Category 2B

#### Pictograms



Signal Words: Danger

#### **Hazard Statement Codes**

- H222 Extremely flammable aerosol. H316 Causes mild skin irritation.
- H320 Causes eye irritation.

#### Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
2-Propanol	67-63-0	> 60
Didecyl Dimethyl Ammonium Chloride	7173-51-5	< 2
Hydrocarbon propellant (LPG - propane, butane)	68476-85-7	20 - 40
Other ingredients determined to not be hazardous	-	to 100%

Ref: ULTRASHIELD 9000 AEROSOL

Date: 18.4.20

## Section 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand.

Call a POISON CENTRE (0800 764 766) or doctor if you feel unwell.

· ·	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists: Get medical advice.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice.
Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
Ingestion	Ingestion is unlikely to occur with product packaging. If swallowed, do NOT induce vomiting. Obtain immediate medical attention.
Exposure symptoms	Prolonged and repeated exposure may cause Irritant effects. Symptoms may include defatting of the skin and dermatitis.
Notes to physician	Provide general supportive measures and treat symptomatically.
Section 5 – FIRE-FIGHTING	B MEASURES
Specific hazards	Containers can build up pressure if exposed to heat and/or fire and may explode. Vapours may form an explosive mixture with air. Vapours can travel to a source of ignition and flash back. Contents may float and be re-ignited on surface water.
Further advice	On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion. Use water spray to keep fire-exposed containers cool.
Extinguishing media	For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam.
	For large fires, use water spray, fog, or foam. Use water spray to cool fire-exposed containers. Water may be ineffective. Do not discharge extinguishing waters into the aquatic environment.
	Do NOT use straight streams of water.
Hazchem Code	2YE
Section 6 – ACCIDENTAL R	ELEASE MEASURES
Personal precautions	Clean up immediately. Remove all sources of ignition. Provide ventilation. Keep unnecessary and unprotected personnel out of the area. Wear appropriate personal protective equipment.
Environmental Precautions	If safe, damaged cans should be placed in a container outdoors, away from all ignition sources, until pressure has dissipated. Undamaged cans should be gathered and stowed safely. Prevent entry of split material into drains or water courses. If material enters drains, advise emergency services.
Methods for Cleaning Up	Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal. Wash area down with excess water. Clean up in accordance with all applicable regulations.
Section 7 – HANDLING AN	ID STORAGE
Handling Precautions	Read product label before use. Keep out of reach of children.
-	This product is highly flammable. Keep away from heat and open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
	Use outdoors or in well-ventilated area. Avoid breathing spray. Wash hands with soap and water after handling. In case of inadequate ventilation wear respiratory protection.
Storage	Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Store in a well ventilated, cool,

dry place. Keep away from heat, sparks, and flame. Store locked up.

#### Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits	No value assigned for product. Exposur		L WES);
	Material	TWA, mg/m <sup>3</sup>	STEL, mg/m <sup>3</sup>
	Ethanol	1880	-
	LPG (Liquefied petroleum gas		
	butane, propane)	1800	
Additional Information	Wash hands before eating, drinking smoothead period.	oking and using the lavatory and	d at the end of the working
Engineering Controls	No controls required when handling sm	all quantities. Use with adequat	te ventilation.
	Larger quantities: General exhaust is ad equipment should be explosion-resistar		
Protective Equipment	In an industrial environment: gloves, sa contaminated clothing before reuse. Co workplace. In case of inadequate wear an approved respirator with a typ	ntaminated work clothing shou ventilation wear respiratory pr	ld not be allowed out of the

#### Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Clear, colourless liquid.
Odour	Characteristic odour.
рН	Not applicable.
Vapour Density	> 1 (Air =1)
Vapour Pressure, kPa	300 - 600
Boiling Point, °C	Not applicable.
Melting Point, °C	Not applicable.
Specific Gravity	Not applicable.
Flash Point, °C	< 0 (propellant)
Explosion Limit, % v/v	LEL 1.2% UEL 9.5%
Autoignition Temp, °C	Not applicable
Solubility	Miscible with water.

#### Section 10 – STABILITY AND REACTIVITY

#### Stability

Stable under normal conditions of use and storage. Not reactive. Avoid oxidisers. Hazardous polymerisation will not occur.

## Section 11 – TOXICOLOGICAL INFORMATION

Health Hazard Summary	This product may have the eye and skin contact and in	•	e health effects. Use safe w	ork practices to avoid
Basis for Assessment	Information given is based	on product testing, and/or	similar products, and/or c	omponents.
Acute Oral Toxicity	Low toxicity: LD <sub>50</sub> estimate	ed to be > 5,000 mg/kg (bas	ed on component mixture	rules).
Acute Dermal Toxicity	Low toxicity: LD <sub>50</sub> estimate	ed to be > 5,000 mg/kg (bas	ed on component mixture	rules).
Acute Inhalation Toxicity	Low toxicity: LD <sub>50</sub> estimate	ed to be > 20 mg/L (based c	n component mixture rules	5).
Ingestion	May be harmful. Ingestion	of large quantities may res	sult in nausea and vomiting	
Skin Irritation	Prolonged/repeated conta	ct may cause irritation and	defatting of the skin which	h can lead to dermatitis.
Ref: ULTRASHIELD 9000 AEROSOL	Date: 18.4.20	Supersedes: New	Issue No: 1	Page 3 of 5 pages

Sensitisation	Product is not expected to be a contact and respiratory sensitiser.
Eye Irritation	Direct contact is irritating to the eye. Expected to be temporary.
<b>Respiratory Irritation</b>	Inhalation of mists may cause irritation to the respiratory system.
Repeated Dose Toxicity	Repeated and prolonged contact with product may result in irritant dermatitis.
Additional Information	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

#### Section 12 – ECOTOXICITY INFORMATION

Ecotoxicity	Slightly harmful in the aquatic environment. However, this does not exclude the possibility that large spills can have a harmful or damaging effect on the environment.
Mobility:	Product is volatile and will rapidly evaporate to the air.
Persistence/degradability	Expected to rapidly biodegrade.
Bioaccumulation	Not expected to bioaccumulate.

#### Section 13 – DISPOSAL CONSIDERATIONS

Material Disposal	Product wastes should be disposed of in accordance with applicable regulations. Do not dispose into the environment, in drains or in water courses. Large quantities should be degassed by an aerosol recycler. Do not dispose of large quantities of pressurised aerosols in landfills. Incineration in an authorised facility is suggested.
Cantainan Dianasal	

# Container DisposalRecycle empty container if possible. Product containers are also considered wastes of the same class of<br/>the contents and should be disposed of in accordance with applicable regulations.

Section 14 – TRANSPORT	INFORMATION
Transport	Classified as a Dangerous Good for transport purposes.
	Class 2.1 should not be loaded on the same vehicle as Classes 1, 3 (where both are in bulk), 4, 5, and 7. They may be loaded with Classes 3, 6, 8, 9, foodstuffs and foodstuff empties.
Proper Shipping Name	Aerosols
UN Number	1950
Dangerous Goods Class	2.1
Transport Labels Required	Class 2 Flammable

Subsidiary Risk	Not applicable
Packing Group	Not applicable
Marine Pollutant	No
EMS Number	F-D, S-U
DG Segregation	This product is classified as a Dangerous Goods. Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:2012 Transport of Dangerous Goods on Land for information.

# Section 15 – REGULATORY INFORMATION SDS regulations Prepared in accordance with the EPA Hazardous Substances (Safety Data Sheets) Notice July 2017. Inventory Listing All components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC).

Approved Handler:	2.1.2A - Required for quantities greater than 3,000 litres (aggregate water capacity).	
Location Test Certificate:	2.1.2A - Required for quantities greater than 3,000 litres (aggregate water capacity).	
Tracking:	This substance is not a tracked substance.	
EPA Approval Number	HSR002515 Aerosols (Flammable) Group Standard 2017.	
EPA Hsno Controls:		
EFA IISIIO CONTIOIS.	Refer to <u>www.epa.govt.nz</u> for information on Controls. This substance is to be managed using the conditions specified in an applicable Group Standard.	
		ice is to be managed using the conditions specified in an applicable Group standard.
Section 16 – OTHER INFC	RMATION	
Additional information	Personal Protective Equipment Guidelines:	
	The recommendation for protective equipment contained is provided as a guide only. Factors such a method of application, working environment, quantity used, product concentration and engineering controls should be considered before final selection of personal protective equipment is made.	
	Health Effects from Exposure:	
	It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protectiv equipment used and method of application. It is anticipated that users will assess the risks and apply control methods where appropriate.	
Abbreviations	AICS	Australian Inventory of Chemical Substances
	ADG	Australian Code for the Transport of Dangerous Goods by Road and Rail
	CAS	Chemical Abstract Service number
	EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods
	EPA	Environmental Protection Agency (New Zealand)
	GHS	Globally Harmonized System
	IARC	International Agency for Research on Cancer
	IATA	International Air Transport Association
	IMDG	International Maritime Dangerous Goods
	LC <sub>50</sub>	Lethal Concentration, 50% / Median Lethal Concentration
	LD <sub>50</sub>	Lethal Dose, 50% / Median Lethal Dose
	LEL	Lower Explosion Limit
	mg/m³	Milligrams per Cubic Metre
	NICNAS	National Industrial Chemicals Notification and Assessment Scheme (Australia)
	NZIOC	New Zealand Inventory of Chemicals
	N.O.S.	Not otherwise specified
	OEL	Occupational Exposure Limit
	PEL	Permissible Exposure Limit
	STEL	Short-Term Exposure Limit
	STOT-RE	Specific target organ toxicity (repeated exposure)
	STOT-SE	Specific target organ toxicity (single exposure)
	TLV	Threshold Limit Value
	TWA	Time Weighted Average
	UEL	Upper Explosion Limit

The information contained in this Safety Data Sheet is provided in good faith and is believed to be correct as at the date hereof. However, it is expected that individuals receiving the information will exercise their independent judgement in determining it's appropriateness for a particular purpose. The Proprietor makes no representation as to the accuracy or comprehensiveness of the information. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of the use of the product are therefore assumed by the user and we expressly disclaim all warranties of any kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Appropriate warnings and safe handling procedures should be provided to handlers and users. End of sds.

Ref: ULTRASHIELD 9000 AEROSOL