



SOFT CARE FRESH

Revision: 2018-04-06

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SOFT CARE FRESH

1.2 Recommended use and restrictions on use

Identified uses:

Cosmetic product , Hand soap

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: +64 9 813 9800; 0800 803 615 (toll free)

Fax: + 64 9 813 9801

Website: www.diversey.com

1.4 Emergency telephone number

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.3B - Mildly irritating to the skin

8.3A - Corrosive to ocular tissue

GHS Equivalent Classification

Skin irritation, Category 3

Serious eye damage, Category 1

2.2 Label elements

Signal word: Danger

Hazard statements:

H316 - Causes mild skin irritation.

H318 - Causes serious eye damage.

Prevention statement(s):

P233 - Keep container tightly closed.

Response statement(s):

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

GHS Equivalent Classification

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight percent
---------------	------------	-----------	----------------

SOFT CARE FRESH

alcohols, C12-14, ethoxylated, sulphates, sodium salts	68891-38-3	500-234-8	3-10
sodium chloride	7647-14-5	231-598-3	1-3
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	-	931-329-6	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing.
Skin contact:	If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with

SOFT CARE FRESH

other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: Not applicable.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical State: Liquid

Colour: Opaque, Pearlescent Blue

Odour: To Match Standard (TMS) Slightly perfumed

Odour threshold: Not applicable

pH: ≈ 5.3 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined

Vapour density: Not determined

Relative density: ≈ 1.02 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Partition coefficient: n-octanol/water No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

Viscosity: ≈ 1250 mPa.s (20 °C)

Explosive properties: Not explosive.

Oxidising properties: Not oxidising

Method / remark

ISO 4316

Not relevant to classification of this product

Not relevant to classification of this product

Not relevant to classification of this product
OECD 109 (EU A.3)

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

SOFT CARE FRESH

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)	
sodium chloride	LD ₅₀	3000	Rat	Method not given	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)	
sodium chloride	LD ₅₀	> 10000	Rabbit	Method not given	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	LD ₅₀	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			
sodium chloride	LC ₅₀	> 42	Rat	Method not given	1
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	
sodium chloride	Not irritant		Method not given	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	Irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium chloride	Not corrosive or irritant		Method not given	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

SOFT CARE FRESH

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			
sodium chloride	No data available			
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium chloride	Not sensitising		Method not given	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			
sodium chloride	No data available			
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476	No evidence for mutagenicity, negative test results	OECD 475 (EU B.11)
sodium chloride	No data available		No data available	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for carcinogenicity, weight-of-evidence
sodium chloride	No data available
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	Developmental toxicity	> 1000	Rat	OECD 414 (EU B.31), oral		No evidence for reproductive toxicity
sodium chloride			No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	NOAEL	Teratogenic effects Maternal toxicity	> 1000	Rat	OECD 414 (EU B.31), oral		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	> 225		OECD 408 (EU B.26)	90	
sodium chloride		No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	NOAEL	> 750	Rat	OECD 407 (EU B.7)	28	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
sodium chloride		No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	NOEL	50	Rat	Method not given	90	

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
sodium chloride		No data available				

SOFT CARE FRESH

amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			
---	--	-------------------	--	--	--

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts			No data available					
sodium chloride			No data available					
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	Oral	NOEL	> 50	Rat	Method not given	90 day(s)		

STOT-single exposure

Ingredient(s)	Affected organ(s)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available
sodium chloride	No data available
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available
sodium chloride	No data available
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LC ₅₀	7.1	Fish	OECD 203 (EU C.1)	96
sodium chloride	LC ₅₀	> 5840	<i>Lepomis macrochirus</i>	Method not given	-
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	LC ₅₀	2.4	<i>Oncorhynchus mykiss</i>	OECD 203, semi-static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC ₅₀	7.4	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium chloride	EC ₅₀	> 3000	<i>Daphnia magna Straus</i>	Method not given	24
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	EC ₅₀	3.2	<i>Daphnia magna Straus</i>	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC ₅₀	10 - 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
sodium chloride	EC ₅₀	2430		Method not given	120
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	E _r C ₅₀	3.9	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data			-

SOFT CARE FRESH

		available			
sodium chloride		No data available			-
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC ₀	> 100		DIN 38412, Part 27	
sodium chloride		No data available			
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	EC ₅₀	> 1000		Method not given	0.5 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	1 - 10	<i>Not specified</i>	OECD 203	45 day(s)	
sodium chloride		No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	NOEC	1	<i>Oncorhynchus mykiss</i>	OECD 203	96 hour(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	0.27	<i>Daphnia sp.</i>	OECD 211	21 day(s)	
sodium chloride		No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	NOEC	1	<i>Daphnia magna</i>	OECD 202	48 hour(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
sodium chloride		No data available			-	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
sodium chloride		No data available			-	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
sodium chloride		No data available			-	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
sodium chloride		No data available			-	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw)	Species	Method	Exposure time (days)	Effects observed
---------------	----------	------------------	---------	--------	----------------------	------------------

SOFT CARE FRESH

		soil)				
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
sodium chloride		No data available			-	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
sodium chloride		No data available			-	
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alcohols, C12-14, ethoxylated, sulphates, sodium salts		CO ₂ production	> 60 % in 28 day(s)	Method not given	Readily biodegradable
sodium chloride					Not applicable (inorganic substance)
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)			> 60 % in 28 day(s)	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts	0.3	Method not given	No bioaccumulation expected	
sodium chloride	No data available			
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	3.52	Method not given	Low potential for bioaccumulation	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts	< 3		Method not given	No bioaccumulation expected	
sodium chloride	No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	65.36		Method not given	Low potential for bioaccumulation	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available				
sodium chloride	No data available				
amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	241				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

SOFT CARE FRESH

Waste from residues / unused products: The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging Recommendation: Dispose of observing national or local regulations.
Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

- 14.1 UN number:** Non-dangerous goods
14.2 UN proper shipping name: Non-dangerous goods
14.3 Transport hazard class(es): Non-dangerous goods
14.4 Packing group: Non-dangerous goods
14.5 Environmental hazards: Non-dangerous goods
14.6 Special precautions for user: Non-dangerous goods
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Other relevant information:
 Hazchem code: None allocated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002552.
Group standard Cosmetic Products Group Standard 2017
Inventory Listing(s) New Zealand: NZIoC (New Zealand Inventory of Chemicals)
 All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000511

Version: 01.0

Revision: 2018-04-06

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet